

Anomaly Detection Using Artificial Intelligence in Juridical Affairs

Syed Sameer Ali^{1*}, Kusum Lata Agarwal²

¹United world Institute of Technology, Karnavati University, Uvarsad, Gandhinagar, State-Gujarat, Pin-382422, Country-India

Email-202306020011@karnavatiuniversity.edu.in , ORCID-0009-0004-8617-1552

²United world Institute of Technology, Karnavati University, Uvarsad, Gandhinagar, State-Gujarat, Pin-382422, Country-India

Email- kusum@karnavatiuniversity.edu.in , ORCID-0000-0002-9492-7653

***Corresponding author**

Syed Sameer Ali

United world Institute of Technology, Karnavati University, Uvarsad, Gandhinagar, State-Gujarat, Pin-382422, Country-India

Email-202306020011@karnavatiuniversity.edu.in , ORCID-0009-0004-8617-1552

ABSTRACT

Artificial intelligence is increasingly inserted into licit exploration, evaluating evidences, contract enlisting and articulating juridical conclusion potent. Yet dominion figure inside the licit structure remains fragmented, vaguely operationalized, and spontaneous. While technical rule of morality foists commitment of proficiency, secrecy, supervision and candor, few ruling have converted these responsibilities into form of affirmation protocols, fail closed precaution, demonstrative quality tools adapted to artificial intelligence assisted workflows. This paper scrutinizes crevice affecting tribunal, and juridical administration, including quotation corroboration delinquency, rational traceability insufficiency and the demand of systematized artificial intelligence validation and revelation procedures. It argues that operating rule-established substructure are insufficient without functional inflicting mechanisms that embed liability, auditability and structured demonstrative gauging strategies into day-to-day licit use. The paper put forward a version grounded in arguing limpidity, attestation orderliness, synthetic affirmation assessment role and standard tailored schooling for magistrates and attorneys. The intention is not technological amplification but establishment reliability. By lining up artificial intelligence task with justifiable licit standards, bench can configure confirmed fairness, public trust, the underlying truth that legalized decision crafting must remain tied up in provable truth as opposed to probabilistic yield.

Keywords- Algorithmic, Fairness, Predict, Practices, Transparency.

INTRODUCTION

The acquisition of artificial intelligence into juridical practices shows one of the most resulting exertion of algorithmic techniques in governance[1]. Since 2025, substantial number of magisterial practices across multiple nations have acquire or are proactively begin trial of computational technologies and AI, especially for pre-trial threat assessment, suit management, judging support[2]. While these practice promise enhanced access to justice and magnify efficiency, at the same time initiate some genuine concerns with regard to algorithmic bias, preservation of magisterial legitimacy, and lack of limpidity[3]. The growing existence of AI in bench demands a cautious comparative scanning of how unlike jurisdictions are carrying out these technologies and what administration structure they are advancing in retaliation.

The impact and scope of AI in magisterial practice have seen rising worldwide. From the United States controversial employment of COMPAS threat assessment to China's 'smart court' systems, and from Europe's precautionary supervisory routine to arising economies initial implementations, the landscape of magisterial AI is diverse yet characterized by usual summons [4]. Numerous AI exercises deployed in magisterial conditions operates as "black boxes", turning out outputs to whom reasoning cannot be comfortably spelled to affected souls [1].

This cloudiness poses core summons to due affairs as defendants and their counsel cannot significantly contest the ground work for algorithmic recommendations or augury. Deep neural networks, combo routine like complex machine learning models and random forest achieving higher foretelling accuracy precisely because they apprehend non-linear specimen in facts that are computationally difficult to render into human readable explanations. This fabricates a situation where souls face genuine legalized outcome established on programmatic outcomes as they cannot understood violating basal postulates of procedural fairness.

In retaliation to limpidity call, explainable artificial intelligence(XAI) routine has been developed to make algorithmic decision-crafting more decipherable. These techniques can give away that an algorithm recommended a high-threat classification established on specific factors such as employment status, residential location, prior

arrest crafting the decision-making rationale transparent. The validity of procedural evidence in criminal trials requires not only limpidity in how practices operates but also task-matched empirical validation demonstrating that algorithms perform reliably under realistically encountered situations. This represents a convergence of computer science reliability standards with legalized demonstrative postulates.

LITERATURE REVIEW

The evidence survey examines the comparative performance of AI across jurisdictions, analyzes the cue benefits and ultimatum associated with these walk-throughs, and evaluates the supervisory and ethical frameworks being developed to govern their use. Artificial intelligence is being deployed across multiple functions within magisterial walk-throughs. Legalized research and document analysis some of the earliest and most widespread exertion, where AI walk-throughs can rapidly affair vast volumes of legalized information and identify early precedents [5].

Core Magisterial Applications

Suit management automation, document evaluating, electronic proof handling, have become more and more usual executive exertion that refine efficiency with no direct influence on adjudicative choice [6]. More conventionally, AI walk-throughs are used for threat assessment in pre-trial, bail, judging, and parole choice which represent high-stakes exertion directly affecting individual liberty [7].

RisCanvi is a threat gauging system used in Catalonia to help mankind decide whether to imprison someone, let them go on parole, or rehabilitate them. RisCanvi started out as system established on rules set by experts to make classifications more consistent and less biased. Over time, it has become a misty, facts-centric infrastructure that is at the heart of punitive governance. In 2019, the system made a big change when it switched out of clear weighted-score model to a logit regression built into the prison management's computational architectonics. This commute was meant to refine prescient performance, but it also hid gravity, thresholds and variables from almost everyone professional else who were affected. Because of this, mankind whose freedom is at stake can't really question, fight, or realize the procedural sense that control their paths [7].

Prognostic data analysis for legalized judgement prediction depicts a sophisticated category of AI application, wherein walk-throughs are trained to forecast magisterial outcomes established on historical suit specimen, legalized facts and procedural elements. Especially inside state of Supreme Court of the United States(SCOTUS), through careful preprocessing and analysis, different ML techniques are used such as Decision schema, Random Forest, Support Vector Machines(SVM), Naïve Bayes, k-Nearest Neighbor(k-NN), and XGBoost. Using metrics like correctness, recall, F-1 score, and accuracy, we can see how well these models work and how they differ from each other. XGBoost stands out as the best algorithm, with an accuracy of 72%. This shows how well it can find complex legalized specimen. On the other hand, the Naïve Bayes and Decision schema algorithms have lower exactness of 61% and 52%, respectively. This shows that they may not be as useful for licit datasets. The comparative investigation gives away the power and weakness of all algorithm, emphasizing the necessity of choosing suitable strategy adapted to the intricacies of licit decision-making [8].

Natural language processing tools have also been deployed for contract analysis, legalized draft support, and automated generation of procedural documents. The survey adheres to the favored reporting items for organized reviews and meta-analysis framework, evaluating 154 inquires, ultimately selecting 131 through manual filtering. It looks at basic ideas about NLP in the licit field and shows how processing licit texts is different and harder because of things like long documents, complicated language, and a lack of open licit datasets. Here an overview of NLP tasks that are specific to licit text, such as document summarization, named entity recognition, inquiring, argument mining, text categorization, and Judgement forecasting [9].

Pre-trained Language Models(PLMs) established on transformers were trained on legalized text. There are publicly available PLMs that were trained on legalized text from Europe and the US. However, licit text from other nation, like India, has a much of unique features. As the number of Legalized NLP exertion grows quickly in many nations, it is now requisite to pre-train these LMs on licit text from other nations as well. Here pre-training within the Indian legalized context has been done by two well-known legalized PLMs, Case Law BERT, Legal BERT on Indian licit facts. Also, a replica from scratch using a vocabulary established on Indian licit text [10].

Benefits and Efficiency Gains

Dealing suit backlogs and Magisterial Efficiency-One of the most fascinating dispute for AI integration in bench is it's quiescent to tackle prevalent suit backlogs that plague many magisterial walk-throughs worldwide. In India, where more than 50 million suits are pending and average suit disposal times exceed five years, AI-driven legalized research tools and suit management offer the likelihood of fast-tracked justice delivery.

The study employs the PRISMA methodology to conduct a systematic review of 140 pertinent papers from the Scopus archive. It uses both descriptive and quantifiable routine, such as bibliometric mapping, visualization tactics, and bibliographic conjugation. A theory-building methodology is employed to discern pivotal shifts,

setbacks, and prospect in AI-driven modernization, with a focus on its influence on contemporary magisterial walk-throughs. The outcomes classify AI-driven modernization in the fairness system into three main categories: prognostic equity, which uses AI tools to analyses legalized facts to help lawyers make choice; human machine collaboration, which uses AI to make lawyers more productive in suit handling and legalized research; and the idea of cyborg magistrates, which looks at the pros and cons of fully self-acting licit choice. Subsequent research ought to concentrate on empirical investigations to evaluate the practical efficacy and equity of AI-driven legalized innovation needed [11].

In Ukraine and other post-Soviet jurisdictions, AI walk-throughs promise to reduce the time spend by magistrates on daily document analysis and to streamline procedural workflows [12]. Two surveys in the form of course conducted by researcher and Superior Council of Judiciary(CSdJ) at Columbia. At the beginning of course, 1,391 magisterial staff members answered, and at the end,824 did. The CSdJ did a third survey later got answers from 3,152 magisterial employees. Analysis shows that training made magisterial staff much more familiar with AI. At first, 63% said they didn't know much about it, but after the 50-hour course, 85% said they were moderately to very familiar with it. About one-third of the mankind who answered the survey said they used AI for work tasks at first, but this number grew to almost half after training. More than 80% of users used free AI versions, which raised concerns about privacy because these platforms might share information with other mankind. Magisterial officials mostly use generative AI to look up information and write documents, especially for definitions (51%), legislations (52%), and jurisprudence (59%) [13].

Empirical studies suggest that AI walk-throughs can affair legalized documents and identify relevant suit precedents at speeds thousand times faster than human researchers, potentially freeing magisterial resources for more complex interpretive and discretionary tasks. Incorporating AI within Albania's magisterial network requires dealing with ethical concerns aligning with societal values and constitutional postulates [14].

Enhanced Access to Justice

For lower income litigants and those without access to sophisticated legalized representation, AI powered legalized research platforms and suit outcome prediction walk-throughs can democratize access to legalized information and strategic insights [15]. Virtual bench and AI assisted mediation platforms have expanded access, especially in jurisdictions with geographical or economic barriers to traditional court attendance. During the COVID-19pandemic, many walk-throughs accelerated their computational transformation, demonstrating both the feasibility and acceptance of techniques -mediated justice processes.

The existing computational divide, insufficient computation literacy, inadequate infrastructure, prevent the efficient usage of techniques in magisterial setup. In order to reduce these gaps and ensure that techniques really enhance access to justice, governments should prioritize creating overarching legislation [16].

Algorithmic Bias and Fairness Concerns

Racial and Demographic Bias in Threat Assessment

The most documented concern with regard to AI in magisterial system involves procedural bias, especially in racial disparities in criminal justice threat assessment. The COMPAS algorithm deployed in U.S. jurisdictions, became the focal point of national controversy following investigations done by ProPublica, which documented that African-American defendants were at high threat at rate substantially higher than similar situated with defendants, even after controlling for criminal history [17].

Empirical research on the COMPAS dataset (n=7,214) has shown consistent pattern of disparities African American defendants exhibited false positive rates being classified as higher threat when they did not actually reoffend, while female and underrepresented racial groups experienced disproportionately high false negative rates [17].

Germany's approach to administrative use of AI emphasizes extensive documentation and the preservation of decision artifacts that enable later auditing and contestation [18].

Intersectional and Socioeconomic bias

Beside racial bias, research has documented intersectional effects where bias compounds across multiple protected characteristics. Fairness across multiple dimension at the same time accounting for race, gender, age and socioeconomic status-presents substantial technical and conceptual summons that exist fairness metrics often fail to address [19].

Fairness Accuracy Trade-off

A basal rigidity exists between procedural operation for prognostic fairness and accuracy across demographic section. When training machine learning models to predict recidivism or criminal behavior, algorithms that achieve, maximum accuracy on aggregate metrics often perform substantially different across racial groups.

Research on fairness area machine learning has demonstrated that Pareto refinements are possible in some suits through careful facts preprocessing, bias mitigation techniques, and constrained optimization [21].

A critical postulates across many jurisdictions is that AI should function as a decision assisting tool sooner than a substitution for human judgement. However empirical research on how human actually interact with procedural recommendations give away genuine limitations in human oversight capacity.

Automation biases the tendency to over rely on procedural recommendations even when facing contrary information or warning signals represents a well-documented psychological phenomenon. The challenge for policy makers, technologists and legalized professionals is ensuring that this integration of AI into magisterial system strengths rather than weakens the rule of law, protects rather than undermine due affair, and advances rather than obstructs justice.

RESEARCH METHODOLOGY




Fig 1. Anomaly Detection

Applying unsupervised Learning-Isolation Forest model anomaly detection is done, after which performance matrices are calculated, for checking models' capacity for trustworthiness and useful augury as shown in Fig.1

In order to maintain correctness and validity of the magisterial suit management walk-throughs, an anomaly detection mechanism would be deployed to identify any fraud that might include forging suit details, granting unauthorized bail, delaying suits, or delaying hearings.

The Isolation Forest algorithm randomly selects features and partitions the dataset into decision trees. Normal judicial records require more partitions to isolate, whereas suspicious or anomalous records are isolated quickly due to their irregular nature.

For identifying this anomalies, Isolation Forest Algorithm is used, it should be noted it is not a supervised machine learning algorithm since it does not depend on fraud-labelled facts. Feature extraction for fraud analysis

Number of adjournments

Unusual suit disposal speed

Time gap between hearings

Sudden change in hearing schedules

Abnormal bail approval specimen

Computation of anomaly score, for each data point x ,

$$s(x) = 2^{\frac{-E(h(x))}{c(n)}}$$

$E(h(x))$ - average path length of point x

$c(n)$ - average path length of unsuccessful searches in a Binary Search Tree

Fraud Classification

If anomaly score $>$ threshold $\rightarrow$ case marked as suspicious

If anomaly score $\leq$ threshold $\rightarrow$ case treated as normal

Dataset Description-

The dataset for this research has been derived from suit records of e-court platform kept up by Indian administration encompassing suits since 2010 up to 2018. The dataset also comprises information about 7000 district and trail benches of more than 2000 magistrates, freely available at (<https://www.devdatalab.org/judicial-facts>). The dataset is an open source comprising of 77 million suits updated up to 2020 including coverage of offenses. The dataset also originates from study conducted by Bhowmick [20].

```
# Fit the Isolation Forest model on scaled training data
iso_forest = IsolationForest(n_estimators=100, contamination=0.05, random_state=42) # Adjust contamination value
iso_forest.fit(X_train_scaled)

# Predict anomalies on the test set
anomalies = iso_forest.predict(X_test_scaled)

# Check unique values of the predicted anomalies
print("Anomaly predictions (1 = normal, -1 = anomaly):", set(anomalies))

# Convert anomalies (-1 for outliers, 1 for normal) to binary values (1 for normal, 0 for anomalies)
pred_anomalies = [1 if label == 1 else 0 for label in anomalies]
```

From the Fig 3, it is revealed model here predicted anomalies equal to number=7.

```
Anomaly predictions (1 = normal, -1 = anomaly): {np.int64(1), np.int64(-1)}
```

```
Number of anomalies detected: 7
```

```
Anomaly Detection Predictions (0 = anomaly, 1 = normal):
```

```
[1, 1, 1, 1, 1, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 0, 1, 0, 1, 1, 1, 1, 1, 1, 1, 1, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1]
```

The binary classification model evaluation is done through Confusion matrix. It helps in differentiating between fraudulent (positive class) and non-fraudulent (negative class) actions. The true labels are given in rows and predicated labels in columns (Fig 4). The matrix discloses the model's capability to correctly distinguishes instances in both classes. The model attains a relatively high number of true positives, faithfully spotting 13 fraudulent actions, which is a positive sign of its detection capabilities. However, there are also 3 false positives, where the model falsely classifies non-fraudulent actions as fraudulent, and 5 false negatives, where fraudulent actions are not correctly identified as shown in Fig 4.



Accuracy

From the graph shown in Fig 5, it is seen accuracy of the isolation forest model for fraud detection across 100 training epochs, with accuracy values ranging between 0.92 and 0.96. In the beginning the model achieves an accuracy of around 94.2%, indicating a moderate ability to correctly classify fraudulent cases. In mid stages a drop up to 92% is observed indicating model might be struggling to generalize unseen facts or due to overfitting issues. Although at last model reaches accuracy at peak to 96%.




Fig 5. Accuracy

Precision

The precision of the isolation forest model for fraud detection across 100 training epochs highlights ability to correctly identify fraudulent cases among all predicted positive instances. It starts initially denoting moderate capability at 0.73, at 30 epochs reaching a peak of about 0.78, fluctuating in between at 0.74 and slightly increase at end at 0.76 as shown in Fig 6. Below




Fig 6. Precision

CONCLUSION

The association of machine learning with rule-established logic from realm information is one of strongest features of the proposed model. It integrates AI-backed recommendations and ruling postulates, which increases coherence of decision crafting in the legalized system. As a result, it would provide more in-depth, better assessments of the suits. This hybrid model aids in refining the accuracy of the augury and allows the magisterial system to operate compatible with the various and changing characters of legalized suits.

In addition, a more sophisticated suit can be handled and thus it is fit for upper-stage choice that require fine opinion identification of anomalies or even fraudulent specimen in magisterial affair ensures more limpidity and accountability since suit showing discrepancies in facts would be flagged. Effective human oversight requires maintaining meaningful opportunities for affected souls to understand, appeal and contest procedural determinations. The next generation of magisterial AI governance must integrate these lessons from comparative experience into frameworks that make justice not merely more efficient but more fair, more transparent, and more accountable.

REFERENCES

1. D. S. S. Khatana and D. S. Choudhary, "Role of artificial intelligence in enhancing access to justice in India – A critical analysis," *Lex localis – Journal of Local Self-Government*, vol. 23, no. 11, pp. 1770–1778, Oct. 2025. doi: 10.52152/qytz3640.
2. D. F. Engstrom and A. Haim, "Regulating government AI and the challenge of sociotechnical design," *Annual Review of Law and Social Science*, vol. 19, pp. 277–298, 2023. doi: 10.1146/annurev-lawsocsci-120522-091626.
3. B. C. Cheong, "Transparency and accountability in AI systems: Safeguarding wellbeing in the age of algorithmic decision-making," *Frontiers in Human Dynamics*, vol. 6, Jul. 2024. doi: 10.3389/fhumd.2024.1421273.
4. M. Bhargava and D. Kashyap, "Educational administration: Theory and practice," *Educational Administration: Theory and Practice*, vol. 30, no. 1, Jan. 2024. doi: 10.53555/kuey.v30i1.11376.
5. S. A and G. Choudhary, "Exploring the use of AI in legal decision making: Benefits and ethical implications," *Scheel Connect*, Sep. 2023. doi: 10.57029/scheel4.
6. M. Asimow, "Five models of administrative adjudication," *The American Journal of Comparative Law*, vol. 63, no. 1, pp. 3–32, 2015.
7. O. Mentxaka, J. Lopez-Montilla, and D. Urrutia-Onate et al., "Explainability gaps in AI-driven criminal justice governance: The RisCanvi," *AI & Society*, 2026. doi: 10.1007/s00146-026-03039-0.
8. E. Quteishat, "Predictive modelling in legal decision-making: Leveraging machine learning for forecasting legal outcomes," *Journal of Electrical Systems*, vol. 20, no. 3, pp. 2060–2071, May 2024. doi: 10.52783/jes.4006.
9. F. Ariai, J. Mackenzie, and G. Demartini, "Natural language processing for the legal domain: A survey of tasks, datasets, models, and challenges," *ACM Computing Surveys*, vol. 58, no. 6, Dec. 2025. doi: 10.1145/3777009.
10. S. Paul, A. Mandal, P. Goyal, and S. Ghosh, "Pre-trained language models for the legal domain: A case study on Indian law," in *Proc. 19th Int. Conf. Artificial Intelligence and Law (ICAIL)*, Braga, Portugal, 2023, pp. 187–196. doi: 10.1145/3594536.3595165.
11. F. Borgesano, A. De Maio, P. Laghi, and R. Musmanno, "Artificial intelligence and justice: A systematic literature review and future research perspectives on Justice 5.0," *European Journal of Innovation Management*, vol. 28, no. 11, pp. 349–385, 2025.
12. Iryna, "Access to justice in Eastern Europe," *Access to Justice in Eastern Europe*, vol. 7, no. 1, pp. 6–9, Feb. 2024. doi: 10.33327/ajee-18-7.1-ed000001.
13. J. D. Gutierrez and D. S. Peralta M, "Use of AI tools in the Colombian judiciary," in *Proc. Conf. Digital Government Research (dg.o)*, Jun. 2025. doi: 10.59490/dgo.2025.1060.
14. K. Vukatana, E. Hoxha, and A. Ferhataj, "Ethical integration of AI in judicial systems: Advancing fairness, transparency, and judicial efficiency," vol. 7, pp. 421–442, Dec. 2025. doi: 10.32091/RIID0256.
15. V. Turanjanin and D. Dimovski, "Enhancing access to free legal aid through artificial intelligence," *TEME*, p. 303, Jul. 2025. doi: 10.22190/teme241213017t.
16. U. C. Okeke, "Enhancing access to justice through technology in developing countries: Technology-based initiatives, challenges and emerging technologies," *International Journal for Court Administration*, vol. 16, no. 3, p. 5, 2026. doi: 10.36745/ijca.635.
17. J. Saunders and G. Midgette, "A test for implicit bias in discretionary criminal justice decisions," *Law and Human Behavior*, vol. 47, no. 1, pp. 217–232, Feb. 2023. doi: 10.1037/lhb0000520.

18. M. Ebers and I. Biallaß, "AI and the courts in Germany," in *The Cambridge Handbook of AI and Technologies in Courts*, M. Zalnieriute and A. Limante, Eds. Cambridge, U.K.: Cambridge Univ. Press, 2026, pp. 481–495. doi: 10.1017/9781009744225.038.
19. A. Mergen, N. Cetin Kilic, and M. Ozbilgin, "Artificial intelligence and bias towards marginalized groups: Theoretical roots and challenges," Oct. 2024. doi: 10.1108/S2051-233320250000012004.
20. Bhowmick ., Aditi, Paul Novosad, Sam Asher, Elliott Ash, Bilal Siddiqi, Christoph Goessmann, Daniel Chen, and Tanaya Devi. "In-group bias in the Indian judiciary: Evidence from 5.5 million criminal cases. In *Proceedings of the 4th AM SIGCAS Conference on Computing and Sustainable Societies*, 2021, pp.47-47."
21. M. Kamani, R. Forsati, J. Wang, and M. Mahdavi, "Pareto efficient fairness in supervised learning: From extraction to tracing," arXiv preprint arXiv:2104.01634, Apr. 2021. doi: 10.48550/arxiv.2104.01634